Attorney's Docket No.: B&B-135 Serial No.: U.S.Nat'l. Phase of PCT/EP2003/014850 Page 2

Art Unit: Unknown

Inventor: David RAAB et al.

Amendments to the Claims:

This listing of claims replaces all prior versions, and listings, of claims in this application.

Listing of Claims:

1. (Original) A method for optimizing a nucleotide sequence for the expression of a protein on the basis of the amino acid sequence of the protein, which comprises the following steps carried out on a computer:

- generation of a first test sequence of n codons which correspond to n consecutive amino acids in the protein sequence, where n is a natural number and is less than or equal to N, the number of amino acids in the protein sequence,
- specification of m optimiziation positions in the test sequence which correspond to the position of m codons at which the occupation by a codon, relative to the test sequence, is to be optimized, where m $5 \le n$ and m $\le N$,
- generation of one or more further test sequences from the first test sequence by replacing at one in the optimized nucleotide sequence, and the optimization positions are different from positions of result codons.
- The method as claimed in claim 1, characterized in that in one or more iteration 2. (Original) steps the m optimization positions of the test sequences directly follow one or more result codons which have been specified as part of the optimized nucleotide sequence.
- 3. (Currently Amended) The method as claimed in claim 1 or 2, characterized in that in one or more iteration steps the p codons which are specified as result codons of the optimized nucleotide sequence are p consecutive codons.

Page 3

Art Unit: Unknown

Inventor: David RAAB et al.

4. (Currently Amended) The method as claimed in any of claims 1 to 3 claim 1, characterized in that in one iteration step test sequences with all possible codon occupations for the m optimization positions are generated from the first test sequence, and the optimal test sequence is ascertained from these test sequences.

- 5. (Currently Amended) The method as claimed in any of claims 1 to 4 claim 1, characterized by:
- assessment of each test sequence with a quality function,
- ascertaining of an extreme value within the values of the quality function for all partial sequences generated in an iteration step,
- specification of p codons of the test sequence which corresponds to the extremal value of the weight function as result codons at the appropriate positions, where p is a natural number and $p \le m$.
- 6. (Original) The method as claimed in claim 5, characterized in that the quality function takes account of one or more of the following criteria:
- codon usage for a predefined organism, GC content, repetitive sequences, secondary structures, inverse complementary sequence repeats and sequence motifs.
- 7. (Original) The method as claimed in claim 6, characterized in that the quality function is a function of various single terms which in each case assess one criterion from the following list of criteria:
- codon usage for a predefined organism, GC content, 10 sequence motifs, repetitive sequences, secondary structures, inverse complementary sequence repeats.

Art Unit: Unknown

Inventor: David RAAB et al.

8. (Currently Amended) The method as claimed in any of claims 1 to 6 claim 1, characterized in that the quality function takes account of one or more of the following criteria:

- exclusion of inverse complementary sequence identities of more than 20 nucleotides to the transcriptome of a predefined organism,
- exclusion of homology regions of more than 100 ^f20 base pairs to a predefined DNA sequence,
- exclusion of homology regions with more than 90% similarity of the nucleotide sequence to a predefined DNA sequence.
- 9. (Currently Amended) The method as claimed in any of claims 1 to 8 claim 1, characterized by the step of synthesizing the optimized nucleotide sequence.
- 10. (Original) The method as claimed in claim 9, characterized in that the step of synthesizing the optimized nucleotide sequence takes place in a device for automatic synthesis of nucleotide sequences which is controlled by the computer which optimizes the nucleotide sequence.
- 11. (Original) A device for optimizing a nucleotide sequence for the expression of a protein on the basis of the amino acid sequence of the protein, which has a computer unit which comprises:
- a unit for generation of a first test sequence of n codons which correspond to n consecutive amino acids in the protein sequence, where n is a natural number and is less than or equal to N, the number of amino acids in the protein sequence,
- a unit for specification of m optimiziation positions in the test sequence which correspond to the position of m codons at which the occupation by a codon, relative to the test sequence, is to be optimized, where $m \le n$ and $m \le M$,

Serial No.: U.S.Nat'l. Stage of PCT/EP2003/014850

Art Unit: Unknown

Inventor: David RAAB et al.

Attorney's Docket No.: B&B-135

Page 5

a unit for generation of one or more further test sequences from the first test sequence by replacing at one or more of the m optimization positions a codon of the first test sequence by another codon which expresses the same amino acid,

- a unit for assessment of each of the test sequences with a quality function and for ascertaining the test sequence which is optimal in relation to the quality function,
- a unit for specification of p codons of the optimal test sequence which are located at one of the m optimization positions, as result codons which form the codons of the optimized nucleotide sequence at the positions which correspond to the positions of said p codons in the test sequence, where p is a natural number and $p \le m$,
- a unit for iteration of the steps of generation of a plurality of test functions, of assessment of the test sequences and of specification of result codons, where in each iteration step the test sequence comprises the appropriate result codon at the positions which correspond to positions of specified result codons in the optimized nucleotide sequence, and the optimization positions are different from positions of result codons.
- 12. (Currently Amended) The device as claimed in claim 11, characterized by a unit for carrying out the steps of a method as claimed in any of claims 1 to 7 claim 1.
- 13. (Currently Amended) The device as claimed in either of claims 11 or 12 claim 11, characterized by a device for automatic synthesis of nucleotide sequences which is controlled by the computer in such a way that it synthesizes the optimized nucleotide sequence.

Art Unit: Unknown

Inventor: David RAAB et al.

Page 6

14. (Currently Amended) A computer program which comprises program code which can be executed by a computer and which, when it is executed on a computer, causes the computer to carry out a method as claimed in any of claims 1 to 8 claim 1.

- 15. (Original) The computer program as claimed in claim 14, where the program code can, when it is executed on a computer, cause a device for the automatic synthesis of nucleotide sequences to prepare the optimized nucleotide sequence.
- 16. (Currently Amended) A computer-readable data medium on which a program as claimed in either of claims 14 or 15 claim 14 is stored in computer-readable form.
- 17. (Original) A nucleic acid which includes a nucleotide sequence coding for a protein and which is obtainable by a method as claimed in claim 9.
- 18. (Original) The nucleic acid as claimed in claim 17, characterized in that the latter includes a nucleotide sequence which codes in a predefined organism for a protein, where said nucleotide sequence is not present in the naturally occurring genome of the organism.
- 19. (Original) The nucleic acid as claimed in claim 18, characterized in that the organism is selected from the following group:
- viruses, especially vaccinia viruses,
- prokaryotes, especially Escherichia coli, Caulobacter cresentus, Bacillus subtilis, Mycobacterium spec.,
- yeasts, especially Saccharomyces cerevisiae, Schizosaccharomyces pombe, Pichia pastoris, Pichia angusta,
- insects, especially Sprodoptera frugiperda, Drosophila spec.,

Page 7

Art Unit: Unknown

Inventor: David RAAB et al.

mammals, especially Homo sapiens, Macaca mulata, Mus musculus, Bos taurus, Capra hircus, Ovis aries, Oryctolagus cuniculus, Rattus norvegicus, Chinese hamster ovary,

- monocotyledonous plants, especially Oryza sativa, Zea mays, Triticum aestivum,
- dicotyledonous plants, especially Glycin max, Gossypium hirsutum, Nicotiana tabacum, Arabidopsis thaliana, Solanum tuberosum.
- 20. (Currently Amended) The nucleic acid as claimed in any of claims 1 to 19 claim 1, characterized in that the protein encoded by the nucleotide sequence is one of the following proteins and/or falls into one of the following protein classes:
- enzymes, especially polymerases, endonucleases,
 ligases, ligases, proteases, kinases, phosphatases, topoisomerases,
- cytokines, chemokines, transcription factors, oncogenes,
- proteins from thermophilic organisms, from cryophilic organisms, from halophilic organisms, from acidophilic organisms, from basophilic organisms,
- proteins with repetitive sequence elements, especially structural proteins,
- human antigens, especially tumor antigens, tumor markers, autoimmune antigens,
 diagnostic markers,
- viral antigens, especially from HAV, HBV, HCV, HIV, SIV, FIV, HPV, rinoviruses, influenza viruses, herpesviruses, pollomaysruses, hendra virus, dengue virus, AAV, adenoviruses, HTLV, RSV,
- antigens of disease-causing parasites, e.g. protozoa, especially those causing malaria, leishmania, trypanosoma, toxoplasmas, amoeba,

Art Unit: Unknown

Inventor: David RAAB et al.

Page 8

- antigens of disease-causing bacteria or bacterial pathogens, especially of the genera Chlamydia, staphylococci, Klebsiella, Streptococcus, Salmonella, Listeria, Borrelia, Escherichia coli,
- antigens of organisms of safety level L4, especially Bacillus anthracis, Ebola virus,

 Marburg virus, poxviruses.
- 21. (Currently Amended) The nucleic acid as claimed in either-of-claims 18 or 19 claim 18, characterized in that the quality function takes account at least of one the following criteria:
- GC content,
- codon usage of the predefined organism,
- exclusion of inverse complementary sequence identities of more than 20 nucleotides to the transcriptome of a predetermined organism,
- complete or substantial exclusion of homology regions of more than 100 base pairs to a
 predefined DNA sequence,
- complete or substantial exclusion of homology regions with a similarity of more than
 90% to a predefined DNA sequence.
- 22. (Currently Amended) A vector comprising a nucleic acid as claimed in any of claims 17 to 21 claim 17.
- 23. (Currently Amended) A cell comprising a vector as claimed in claim 22.
- 24. (Original) An organism comprising at least one cell as claimed in claim 23.
- 25. (Original) A nucleic acid, in particular as claimed in claim 9, comprising a nucleotide sequence which is selected from the group comprising: SEQ ID NO: 2, 4, 6, 8.

Art Unit: Unknown

Page 9

Inventor: David RAAB et al.

26. (Original) A vector comprising a nucleic acid as claimed in claim 25.

27. (Currently Amended) A cell comprising a vector as claimed in claim 26 or a nucleic acid as claimed in claim 25.

- 28. (Original) An organism comprising at least one cell as claimed in claim 27.
- 29. (New) A cell comprising a nucleic acid as claim in claim 17.
- 30. (New) A cell comprising a nucleic acid as claimed in claim 25.